Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	356	705/9.ccls.	USPAT	OR	ON	2006/02/01 09:35
S2	₽.	(workflow near4 system) and (item\$1 near5 acquisition near5 request\$3)	USPAT	OR	ON	2005/12/10 18:03
S3	1	(workflow near4 system) and (item\$1 near5 (allocat\$4 or acquisition\$1) near5 request\$3)	USPAT	OR	ON	2005/12/10 18:03
S4	1	(workflow near4 system) and (item\$1 near5 (allocat\$4 or acquisition\$1) near5 request\$3) and (data near3 base\$1) and key	USPAT	OR	ON	2005/12/10 18:05
S5	19	(workflow near4 system) and (item\$1 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4)) and (data near3 base\$1) and key\$1 and table\$1 and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4))	USPAT	OR	ON	2006/02/01 11:47
S6	1	"5826239".pn.	USPAT	OR .	ON	2005/12/10 18:10
S7	1	"5974392".pn.	USPAT	OR	ON	2005/12/10 18:10
S8	40	(workflow\$1 near4 system\$1) and (item\$1 with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4)) and (data adj base\$1) and key\$1 and table\$1 and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4))	USPAT	OR	ON	2006/02/01 11:51
S9	38	(workflow\$1 near4 (manag\$5 or control\$4 or system\$1)) and (item\$1 with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4)) and (data adj base\$1) and (key\$1 with table\$1) and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4))	USPAT	OR	ON	2006/02/01 12:04

			_			
S10	38	(workflow\$1 near4 (manag\$5 or control\$4 or system\$1)) and ((data or item\$1) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4)) and (data adj base\$1) and (key\$1 with table\$1) and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4))	USPAT	OR	ON	2006/02/01 12:04
S11	38	(workflow\$1 near4 (manag\$5 or control\$4 or system\$1)) and ((data or item\$1) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3)) and (data adj base\$1) and (key\$1 with table\$1) and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4))	USPAT	OR	ON	2006/02/01 12:04
S12	38	(workflow\$1 near4 (manag\$5 or control\$4 or system\$1)) and ((data or item\$1) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3)) and (data adj base\$1) and (key\$1 with table\$1) and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3))	USPAT	OR	ON	2006/02/01 13:09
S13	367	705/9.ccls.	USPAT	OR	ON	2006/02/01 12:13
S14	1330	707/6.ccls.	USPAT	OR	ON	2006/02/01 12:13
S15	7 85	718/104.ccls.	USPAT	OR	ON	2006/02/01 12:13
S16	2396	709/217.ccls.	USPAT	OR	ON	2006/02/01 12:13

S17	38	(workflow\$1 near4 (manag\$5 or control\$4 or system\$1)) and ((data or item\$1) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3)) and (data adj base\$1) and (key\$1 with table\$1) and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or	USPAT	OR	ON	2006/02/01 16:11
S18	6	extract\$4 or access\$3)) (workflow\$1 near4 (manag\$5 or control\$4 or system\$1)) and ((data or item\$1) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3) with (data adj base\$1)) and (key\$1 with (table\$1 or (data adj base\$1)) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 16:16
S19	6	(workflow\$1 near4 (manag\$5 or control\$4 or system\$1)) and ((data or item\$1 or object\$1) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3) with (data adj base\$1)) and (key\$1 with (table\$1 or (data adj base\$1)) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and (authori\$7 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and ((condition\$1 or threshold\$1 or criteri\$2) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 16:16

			•		
S20	(workflow\$1 near4 (ma control\$4 or system\$1); item\$1 or object\$1) nearor acquisition\$1 or requestract\$4 or access\$3 or updat\$3) near6 (data a and (key\$1 near6 (table adj base\$1)) near6 (allo acquisition\$1 or request extract\$4 or access\$3 or updat\$3)) and (authorist (allocat\$4 or acquisition\$1 or capuest\$4 or acquisition\$1 or capuest\$4 or acquisition\$1 or threshor criteri\$2) near6 (allocat acquisition\$1 or request\$4 or access\$3 or updat\$3))	and ((data or ar6 (allocat\$4 dest\$3 or or retriev\$3 or dj base\$1)) es\$1 or (data ocat\$4 or t\$3 or or retriev\$3 or \$7 near5 dest\$1 or or access\$3 or and old\$1 or \$4 or t\$3 or	PAT OR	ON	2006/02/01 16:17
S21	workflow\$1 and ((data object\$1) near6 (allocat acquisition\$1 or request extract\$4 or access\$3 o updat\$3) near6 (data a and (key\$1 near6 (table adj base\$1)) near6 (allo acquisition\$1 or request extract\$4 or access\$3 o updat\$3)) and (authori\$ (allocat\$4 or acquisition request\$3 or extract\$4 retriev\$3 or updat\$3)) a ((condition\$1 or thresho criteri\$2) near6 (allocat acquisition\$1 or request extract\$4 or access\$3 o updat\$3))	t\$4 or t\$3 or or retriev\$3 or dj base\$1)) e\$1 or (data ocat\$4 or t\$3 or or retriev\$3 or \$7 near5 \$1 or or access\$3 or and old\$1 or \$4 or	PAT OR	ON	2006/02/01 16:22
S22	workflow\$1 and ((data object\$1) near6 (allocat acquisition\$1 or request extract\$4 or access\$3 o updat\$3) near6 (data ad and (key\$1 near6 (table adj base\$1)) near6 (allo acquisition\$1 or request extract\$4 or access\$3 o updat\$3)) and ((condition threshold\$1 or criteri\$2) (allocat\$4 or acquisition request\$3 or extract\$4 or etriev\$3 or updat\$3))	#\$4 or #\$3 or r retriev\$3 or dj base\$1)) #\$1 or (data ocat\$4 or #\$3 or r retriev\$3 or on\$1 or) near6 \$1 or	PAT OR	ON	2006/02/01 16:23

			Ţ =			
S23	3	workflow\$1 and ((data or item\$1 or object\$1) with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3) with (data adj base\$1)) and (key\$1 near6 (table\$1 or (data adj base\$1)) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and ((condition\$1 or threshold\$1 or criteri\$2) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 16:31
524	12	workflow\$1 and ((data or item\$1 or object\$1) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and (key\$1 near6 (table\$1 or (data adj base\$1)) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and ((condition\$1 or threshold\$1 or criteri\$2 or match\$3) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 17:07
S25	46	workflow\$1 and ((data or item\$1 or object\$1) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and (key\$1 near6 (table\$1 or (data adj base\$1))) and (key\$1 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((data or item\$1 or object\$1) near6 (condition\$1 or threshold\$1 or criteri\$2 or match\$3) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 17:09

	т			•		
S26	9	workflow\$1 and ((data or item\$1 or object\$1) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and (key\$1 near6 (table\$1 or (data adj base\$1)) near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((data or item\$1 or object\$1) near6 (condition\$1 or threshold\$1 or criteri\$2 or match\$3) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 17:32
S27	10	workflow\$1 and (key\$1 near6 table\$1 near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((data or item\$1 or object\$1) near6 (condition\$1 or threshold\$1 or criteri\$2 or match\$3) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 17:34
S28	10	workflow\$1 and (key\$1 with table\$1 with (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((data or item\$1 or object\$1) near6 (condition\$1 or threshold\$1 or criteri\$2 or match\$3) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 17:35
S29	8	workflow\$1 and (client\$1 with server\$1) and (key\$1 near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4) near6 table\$1) and ((data or item\$1 or object\$1) near6 (condition\$1 or threshold\$1 or criteri\$2 or match\$3) near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3))	USPAT	OR	ON	2006/02/01 17:45
S30	B	• • • •	USPAT	OR	ON	2006/02/01 17:47

	·				1	
S31	1	workflow\$1 and (table\$1 with (key\$1 near5 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) with (range\$1 or condition\$1))	USPAT	OR	ON	2006/02/01 17:48
S32		workflow\$1 and (table\$1 near6 key\$1) and (key\$1 near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3)) and (table\$1 near6 (range\$1 or condition\$1)) and (key\$1 near6 (((process\$1 or thread\$1) near4 ID) or (IP adj address\$2)))	USPAT	OR	ON	2006/02/05 14:52
S33		workflow\$1 and (table\$1 near6 key\$1) and (key\$1 near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and (table\$1 near6 (range\$1 or condition\$1)) and (key\$1 near6 (((process\$1 or thread\$1) near4 ID) or (IP adj address\$2)))	USPAT	OR	ON	2006/02/05 14:52
S34	8	workflow\$1 and (table\$1 near6 key\$1) and (key\$1 near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((data or item\$1 or object\$1 or record\$1) near6 (match\$3 or meet\$3 or similar\$5) near6 (range\$1 or condition\$1)) and (key\$1 near6 (((process\$1 or thread\$1) near4 ID) or (IP adj address\$2)))	USPAT	OR	ON	2006/02/05 14:53
S35	٧	workflow\$1 and (table\$1 near6 key\$1) and (key\$1 near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((data or item\$1 or object\$1 or record\$1) near6 (match\$3 or meet\$3 or similar\$5) near6 (range\$1 or condition\$1 or value\$1 or criteria)) and (key\$1 near6 (((process\$1 or thread\$1) near4 ID) or (IP adj address\$2)))	USPAT	OR	ON	2006/02/05 14:54

S36	ø	workflow\$1 and (table\$1 near6 key\$1) and (key\$1 near6 (allocat\$4 or	USPAT	OR	ON	2006/02/05 14:55
		acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4) with (data or item\$1 or object\$1 or record\$1) with (match\$3 or meet\$3 or similar\$5) with (range\$1 or condition\$1 or value\$1 or criteria)) and (key\$1 near6 (((process\$1 or thread\$1) near4 ID) or (IP adj address\$2)))				
S37	well well	workflow\$1 and (table\$1 near6 key\$1) and (key\$1 near6 (allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4)) and ((allocat\$4 or acquisition\$1 or request\$3 or extract\$4 or access\$3 or retriev\$3 or updat\$3 or select\$4) with (data or item\$1 or object\$1 or record\$1) with (match\$3 or meet\$3 or similar\$5)) and (key\$1 near6 (((process\$1 or thread\$1) near4 ID) or (IP adj address\$2)))	USPAT	OR	ON	2006/02/05 14:55